पोस्टात टाकण्याची तारीख १० सप्टेंबर २०१३

वार्षिक वर्गणी - रु.३००/- एक अंक - रु.३०/-

वर्ष ६७वे आयुर्वेद सेवा संघ, नाशिक

स्थापना १९४७





संपादक : वैद्य स्वानंद स.पंडित

यशस्वी चिकित्सेचा राजमार्ग

एकूण पृष्ठे १ ते ४८

वर्ष ६७ वे	अंतरंग		
अंक ३ ए (क्र.९६३)	०१. संपादकीय०४		
संपादक	० २. हितोपदेश - बोधकथा - वैद्य आशुतोष यार्दी, नाशिक०५		
वैद्य स्वानंद स.पंडित	० ३. आयुर्वेद तरंग पुरवणी -		
संपादक मंडळ	श्री.सुभाष पतके, मॅनेजमेंट आणि आयुर्वेद (वैद्य सौ.राजश्री कुलकर्णी) - नक्षत्र वन		
वैद्य सौ. मोना सराफ	- (श्री.माधव बरवे), नेत्ररोग - (डॉ.उल्हास कुलकर्णी), वनौषधी सदर -(डॉ.अर्चना		
वैद्य एकनाथ ग.कुलकणी	भास्करवार), ज्योतिर्वेद्यो निरन्तरा - (डॉ.निखिल डोळस), वैद्यिकविधी विनियोग -		
वैद्य आशुतोष यादी	(डॉ.हिरश गर्गे)०६		
वैद्य सौ. रजनी प्र.गोखले	०४. स्वस्थवृत्त - आपले आयुष्यमान कसे वाढवता येईल? - वैद्य हरिदास कस्तुरे,		
संपादन सहाय्यक	अहमदाबाद११		
वैद्य सौ.प्रज्ञा कुलकर्णी-तुसे	A case study of Leech Application in management of Varicose		
अक्षर जुळणी व मुखपृष्ठ	Ulcer - Dr.Amarprakash Dwivedi, Navi Mumbai		
सजावट : मी. ऋतुजा भारक	०६. द्रव्यगुण - गुडुची ही ॲस्पिरीनला पर्याय ठरू शकेल का ? अथ गुडच्यादि वर्ग -		
काळे	वैद्य ज्योती मुंडगीं, तळेगांव दाभाडे१७		
छपाई: क्रिस्टल लाईन	०७. शारीररचना - पंचमहाभूते व गर्भशारीर - वैद्य अदिती पिंपळखरे, मार्गदर्शक - वैद्य		
ऑफसेट प्रिंटर्स, नाशिक	रविंद्र भुकें, मुंबई		
वार्षिक वर्गणी रु. ३००/-	o ८. कै.वैद्य मो.य.लेले स्मृती लेख - गुग्गुळ कल्पांच्या फलश्रुतींचा अभ्यास - वैद्य		
आजीव वर्गणी रु. २५००/-			
एक प्रत रु. ३०/-	०९. डॉ.सौ.सुनंदा व डॉ.सुभाष रानडे फाऊंडेशनतर्फे पुरस्कार प्राप्त लेख - The role		
🖀 कार्यालय: २५१५४१३	of Ayurveda and Yoga in the cure of Psychosomatic Disorders - Vd Gopal		
फॅक्स : (०२५३) २५१२३६८	Sawkar, Nashik		
E-mail: ayupatra@gmail.com ayupatra@rediffmail.com	10. X-13.1		
आयुर्वेद पत्रिकेचे	११. भैषज्य कल्पना - तक्रप्रयोग - वैद्य प्रेरणा गाडे, मार्गदर्शक - वैद्य वि.ए.गोगटे, नांदेड		
जाहिरातीचे दर	१२. सिध्दांत - अग्नि विचार भाग - १ - वैद्य मनोज निंबाळकर, मुंबई३६		
9 ਸ. 90 ਸ.	१३. कायदा - Role of General Practitioner (RMP) in Poisoning Cases -		
पाव पान रु. ५००/- रु. ५०००/-	Dr.Laxmikant Paymalle80		
अधै पान रु. ८५०/- रु. ८५००/-	१४. पुस्तक परीक्षण - व्यवसायजन्य आजारावरील योग्य आयुर्वेदीय उपचार कथन		
पूर्ण पान रु. १५००/-रु. १३५००/			
चाररंग	१५. आयुर्वेद वार्ता४३		
पूर्ण पान इ. ५०००/-इ. ५००००			

चा अंकातील विचारांशी संपादक सहमत असतीलच असे नाही, तो मते लेखकाची समजावात आयुर्वेद पत्रिकेचे समासद कोणत्याही महिन्यापासून होता चेते.





क्रगान्भव

A Case Study of Leech Application in management of Varicose Ulcer

Dr. Amarprakash Dwivedi. MS. (Ayu)

AIMS & OBJECTIVE OF CASE STUDY:

To evaluate clinical efficacy of 'Leech therapy' in the patient with Varicose ulcer.

TYPE OF STUDY: Observational Single Case Design without control group

STUDY CENTER: Dr.D.Y.Patil Ayurvedic Hospital, Nerul, Navi Mumbai.

STUDY DETAILS (C.R.F. PROTOCOL IN BRIEF)

Name of the patient- ABC

Registration no. PH/OPD/2013/43362 & IPD/ 2013/8128

Date of Admission- 07/02/2013. Age- 30 yrs, Gender- Male, Religion- Hindu

Occupation - Hotel waiter Diet- Veg. &Non Veg (Both)

Chief complaints & its duration -

Pain and Swelling over

Left lower leg

Infected wound on medial aspect of left lower leg since 2 years.

Skin discoloration

Serous discharge from the wound

BRIEF HISTORY (INCLUDING ONSET & PROGRESS)

Patient has been suffering from above symptoms since last 2 years. He took treatment for the same at private clinic but wound got infected & was not healing inspite of treatment for around 2 years. Hence, he came to Dr.D.Y.Patil Ayurvedic Hospital for further management.

Patients brief history did not revealed evidence of Daibetes, Hyper tension, Asthama, Tuberculosis, Heart disease or any other major illness. Similarly, there was no history of previous surgery in past.

GENERAL EXAMINATION: (ON THE DAY-1). All the vital para meters were within normal limits. Patient was haemodynamically stable.

Hb – 12.5 gm/dl. **Wbc** – 8,000 /cu mm of blood **RBSL** – 120 mg/dl. **ESR** – 12 mm /hour.

Viral Markers - Negative.

Coagulation profile - Normal.

X-ray left leg - Essentially normal study.

Other Examinations- Abdomen/Rectal Examination - No IVC obstruction, Pelvic tumor etc.

Arterial and Venous colour Doppler -

Multiple incompetent perforators seen in the lower limb. Competent SF and FP valves.

No evidence of DVT or Ischemia.

LOCAL EXAMINATION: (ON THE DAY-

Site of ulcer - Medical aspect of left lower limb.

Size of ulcer - 4 x 2.5 x 0.5 cm. Shape - Oval Smell - Foul smell + Discharge - + +

Hyperpigmentation - +++ Epithelisation - +

Granulation Tissue - +
Edges - Fibrosed, Sloping Ankle flare Positive. Local Temperature - Normal

Arterial Pulsation - Dorsalis pedis and Post tibial - Normal

since

2 years



Diagnosis: Non healing Varicose ulcer TREATMENT PLAN

After the assesment, wound was washed with Normal Saline. There after 6 Leeches were applied all around the lesion. When Leeches left the site by there own (after sucking blood for approx.30 min.) wound was cleaned with decoction of 'Triphla'. This was followed by dressing with guage piece soaked in 'Yashtimadhu Ghrut'. Finally, roll bandage was wrapped around.

Dressing was done on alternate day where as 'Leech therapy' was repeated weekly for 4 sittings. Total duration for treatment was 30 days & during the treatment assessment was done on Day-01, Day-07, Day-14, Day-21 and Day-30.

Changes occured within the treatment period has been noted on criteria of assessment.

OBSERVATION

Parameters of observation included Ankle flare, Perpheral Hyperpigmentation, Size of ulcer, Granulation tissues and relief in Pain. Patient was observed on above parameters on every week for 5 weeks

RESULT

With 'Leech Therapy' and adjuvant management, the wound completely healed within 30 days i.e. patient was cured from non healing ulcer. The images during and after treatment supports the statement mentioned.

PROBALE MECHANISM OF ACTION OF LEECH THERAPY

- 1) Leech application corrects venous hypertension, reduces vascular congestion due to presence of Carboxypeptidase A inhibitors, Histamine like substances & Acetylcholine, thus it venous valve dysfunction & extra vascular fluid perfusion. This prevents leakage of proteins and isolation of extra cellular matrix molecule and growth factors, thus helps to heal the wound.
- 2) Leech application has peripheral vasodilator effect due to presence of vasodilator constituent in the saliva which improves blood circulation and corrects 'ischemia' around the wound, thus promotes wound healing.
- 3) Leech application has Anti-inflammatory action on nerves due to presence of substance like *Bdellins & Eglins* in the saliva which prevents leukocyte accumulation in the surrounding vessels, thus inhibits release of inflammatory factors which causes chronic wound formation.

PROBALE MECHANISM OF ACTION (AYURVEDIC PERSPECTIVE)

VRAN SHODHAN & ROPAN EFFECT:

1) After Leech application expulsion of impure blood takes place, due to which local vitiated doshas (toxins &unwanted metabolites) are removed. Similarly, it facilitates fresh blood supply & promotes wound healing by formation of 'Healthy Newer Tissues'.

Table 1: Parameters of Observation

Parameters	Grade			
Ankle flare	Base line 100 %	3=75%	2=50%	1=25%
Peripheral Hyper pigmentation	Base line 100 %	3=75%	2=50%	1=25%
Size of ulcer (cm)	Base line 100 %	3=75%	2=50%	1=25%
Granulation tissue	Base line 0%	1=25%	2=50%	3=75%
Pain	Base line 100 %	3=75%	2=50%	1=25%



Table 2: Progressive report

Parameters	1 ^s week	2 nd week	3rd week	4 th week	5 th week
Ankle flare	Base line 100 %	50 %	25 %	0	0
Peripheral Hyper pigmentation	Base line 100 %	75 %	50%	50%	25%
Size of ulcer (cm)	Base line 100 %	75 %	50%	5%	0
Granulation tissue	Base line 0%	25%	50%	5%	0
Pain	Base line 100 %	75 %	25%	25%	0

Due to improved blood circulation, skin discolouration is corrected and venous valvular dysfunction is also pacified. Thus, it breaks the pathogenesis of 'varicosity' at cellular level and helps in wound healing.

2) 'Yashtimadhu Ghrit' has both 'Vedanashamak' and 'vran ropan' property. Hence, it helps in Healing of wounds and relieves pain too.

However, a multi centric comparative clinical trial along with valvular studies is needed to evaluate impact of 'Leech Therapy' on promoting wound healing w.s.r.to Varicose ulcer.

CONCLUSION

With 'Leech Therapy', the non healing Varicose ulcer completely healed within 30 days. On the basis of this case study, we can roughly conclude that Ayurveda can give a ray of hope in the treatment of varicose veins and ulcer.

None of the complication like severe bleeding, wound infectio or hypersensitivity were observed during the therapy.

'Leech therapy' proves to be effective, time saving, affordable and acceptable treatment. Though treating non healing 'Varicose ulcer' is a difficult task, we have managed to treat it with 'Leech Thearpy' along with conventional (Ayurvedic) methods of wound care.

A multi centric comparative clinical trial alongwith valvular studies is needed to establish this unique treatment protocol.

REFERENCES: 1) Medicinal Leech Therapy, Author: Andreas Mechallsen, Manfred Roth, Gustav Dobos. Publication-Thieme, New York, USA, 2007. Page no. 11-12, 132-138. (This book is an authorized & Revised translation of German Edition published and copyright 2006 by Karl F., Hang Verlag. Title of German Edition-"Bluteqeltherapie") 2) Weinfeld AB et al, Clinical & Scientific consideration in Leech therapy for the management of acute venous congetion, 'An update review. Ann Plastic Surg. 2000, 45, 207-221. 3) Amarprakash P. Dwivedi, Case Study of Leech Application in Diabetic foot ulcer, IJRAP (International Journal of Research in Ayurveda & Pharmacy), Volume 3, Issue 5, Sep- Oct 2012 Page 1-4. 4) Dr. Anantram Sharma, 'Sushru vimarshini' commentary on Sushrut Samhita, Chikitsa sthan-Chapter 4 (Vat Vyadhi chikitsa-Shlok 7), Volume 2, Published by Chaukhambha Surbharti Prakakashan-year 2009, Page 205.

Dr. Amarprakash P. Dwivedi, M.S. (Ayu.) Ph.D.(Sch.) Asso.Prof. & I/C, Shalya Tantra Department, Dr. D. Y. Patil College of Ayurved & Research Institute, Nerul, Navi Mumbai Contact: 09323097093, Email: dr.dwivedi@amarayurved.com ***